



# Life Science Laboratories, Inc.

---

Rob Medeiros  
Dryden Central School District  
118 Freeville Rd.  
P.O. Box 88  
Dryden, NY 13053

Phone: (607) 844-5361

## Laboratory Analysis Report

### Prepared For

## Dryden Central School District

Client Project ID:

**Dryden/Freeville/Cassavant Elementary Schools**

LSL Project ID: **1620703**

Receive Date/Time: 10/05/16 13:15

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody and the Sample Receipt documents submitted with these samples are considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

LSL Central Lab  
5854 Butternut Drive  
East Syracuse, NY 13057  
Tel. (315) 445-1900  
Fax (315) 445-1104  
NYS DOH ELAP #10248  
PA DEP #68-2556

LSL North Lab  
131 St. Lawrence Avenue  
Waddington, NY 13694  
Tel. (315) 388-4476  
Fax (315) 388-4061  
NYS DOH ELAP #10900

LSL Finger Lakes Lab  
16 N. Main St., PO Box 424  
Wayland, NY 14572  
Tel. (585) 728-3320  
Fax (585) 728-2711  
NYS DOH ELAP #11667

LSL Southern Tier Office  
Cuba, NY  
Tel. (585) 209-4032

LSL MidLakes Office  
Canandaigua, NY  
Tel. (585) 728-3320

Reviewed by:

  
LaDonna Kibler, Quality Assurance

Date:

1/4/17

**-- LABORATORY ANALYSIS REPORT --**

*Dryden Central School District Dryden, NY*

---

Sample ID: Lead Study LSL Sample ID: 1620703-001  
Location:  
Sampled: 09/28/16 4:31 Sampled By: RM  
Sample Matrix: PW

---

Analytical Method	Prep Method	Prep Date	Analysis Date & Time	Analyst Initials
Analyte	Result Units			
(1) Lead Study				
Number of Samples	77			MT

*Please refer to the chain of custody form on the last page of this report for the detailed descriptions of where these samples were taken.*



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-001  
**Lab ID:** K1612142-001A  
**Collection Date:** 09/28/16 4:31  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 17:28

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-002  
**Lab ID:** K1612142-002A  
**Collection Date:** 09/28/16 4:32  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 17:34

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-003  
**Lab ID:** K1612142-003A  
**Collection Date:** 09/28/16 4:32  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 17:35

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-004  
**Lab ID:** K1612142-004A  
**Collection Date:** 09/28/16 4:33  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 17:37

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-005  
**Lab ID:** K1612142-005A  
**Collection Date:** 09/28/16 4:34  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 17:39

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-006  
**Lab ID:** K1612142-006A  
**Collection Date:** 09/28/16 4:35  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 17:41

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-007  
**Lab ID:** K1612142-007A  
**Collection Date:** 09/28/16 4:37  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 17:43

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-008  
**Lab ID:** K1612142-008A  
**Collection Date:** 09/28/16 4:37  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 17:45

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-009  
**Lab ID:** K1612142-009A  
**Collection Date:** 09/28/16 4:38  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0051	mg/L	12/14/16 17:51

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-010  
**Lab ID:** K1612142-010A  
**Collection Date:** 09/28/16 4:40  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 17:52

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-011  
**Lab ID:** K1612142-011A  
**Collection Date:** 09/28/16 4:41  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0023	mg/L	12/14/16 17:54

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-012

**Lab ID:** K1612142-012A  
**Collection Date:** 09/28/16 4:44  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0016	mg/L	12/14/16 17:56

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-013  
**Lab ID:** K1612142-013A  
**Collection Date:** 09/28/16 4:46  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0019	mg/L	12/14/16 17:58

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-014  
**Lab ID:** K1612142-014A  
**Collection Date:** 09/28/16 4:47  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0015	mg/L	12/14/16 18:00

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**

5854 Butternut Drive  
East Syracuse , NY 13057 (315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-015  
**Lab ID:** K1612142-015A  
**Collection Date:** 09/28/16 4:48  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0017	mg/L	12/14/16 18:02

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-016  
**Lab ID:** K1612142-016A  
**Collection Date:** 09/28/16 4:49  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0016	mg/L	12/14/16 18:04

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-017  
**Lab ID:** K1612142-017A  
**Collection Date:** 09/28/16 4:50  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0018	mg/L	12/14/16 18:06

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-018  
**Lab ID:** K1612142-018A  
**Collection Date:** 09/28/16 4:51  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0020	mg/L	12/14/16 18:11

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-019  
**Lab ID:** K1612142-019A  
**Collection Date:** 09/28/16 4:52  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0025	mg/L	12/14/16 18:13

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-020  
**Lab ID:** K1612142-020A  
**Collection Date:** 09/28/16 4:53  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0012	mg/L	12/14/16 18:15

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-021

**Lab ID:** K1612142-021A  
**Collection Date:** 09/28/16 4:54  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/15/16 9:57

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-022

**Lab ID:** K1612142-022A  
**Collection Date:** 09/28/16 4:56  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/15/16 10:02

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-023  
**Lab ID:** K1612142-023A  
**Collection Date:** 09/28/16 4:57  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0020	mg/L	12/15/16 10:04

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-024  
**Lab ID:** K1612142-024A  
**Collection Date:** 09/28/16 4:59  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/15/16 10:06

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-025  
**Lab ID:** K1612142-025A  
**Collection Date:** 09/28/16 4:59  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0019	mg/L	12/15/16 10:08

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-026

**Lab ID:** K1612142-026A  
**Collection Date:** 09/28/16 4:59  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0012	mg/L	12/15/16 10:10

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-027

**Lab ID:** K1612142-027A  
**Collection Date:** 09/28/16 4:59  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/15/16 10:12

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-028  
**Lab ID:** K1612142-028A  
**Collection Date:** 09/28/16 5:02  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0047	mg/L	12/15/16 10:17

**Qualifiers:** \* Value may exceed the Acceptable Level  
 E Value exceeds the instrument calibration range  
 J Analyte detected below the PQL  
 P Prim./Conf. column %D or RPD exceeds limit

B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 ND Not Detected at the Practical Quantitation Limit (PQL)  
 S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-029  
**Lab ID:** K1612142-029A  
**Collection Date:** 09/28/16 5:05  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/15/16 10:19

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-030  
**Lab ID:** K1612142-030A  
**Collection Date:** 09/28/16 5:05  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/15/16 10:21

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-031  
**Lab ID:** K1612142-031A  
**Collection Date:** 09/28/16 5:05  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/15/16 10:23

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-032  
**Lab ID:** K1612142-032A  
**Collection Date:** 09/28/16 5:08  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0014	mg/L	12/15/16 10:25

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-033  
**Lab ID:** K1612142-033A  
**Collection Date:** 09/28/16 5:10  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0011	mg/L	12/15/16 10:27

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-034  
**Lab ID:** K1612142-034A  
**Collection Date:** 09/28/16 5:11  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0077	mg/L	12/15/16 10:28

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-035  
**Lab ID:** K1612142-035A  
**Collection Date:** 09/28/16 5:12  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0045	mg/L	12/15/16 10:30

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-036  
**Lab ID:** K1612142-036A  
**Collection Date:** 09/28/16 5:14  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0013	mg/L	12/15/16 10:32

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-037  
**Lab ID:** K1612142-037A  
**Collection Date:** 09/28/16 5:16  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0014	mg/L	12/15/16 10:34

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-038  
**Lab ID:** K1612142-038A  
**Collection Date:** 09/28/16 5:16  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0012	mg/L	12/15/16 10:40

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-039  
**Lab ID:** K1612142-039A  
**Collection Date:** 09/28/16 5:18  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0012	mg/L	12/15/16 10:41

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-040  
**Lab ID:** K1612142-040A  
**Collection Date:** 09/28/16 5:19  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/15/16 10:43

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-041  
**Lab ID:** K1612142-041A  
**Collection Date:** 09/28/16 5:19  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 15:52

**Qualifiers:** \* Value may exceed the Acceptable Level  
 E Value exceeds the instrument calibration range  
 J Analyte detected below the PQL  
 P Prim./Conf. column %D or RPD exceeds limit

B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 ND Not Detected at the Practical Quantitation Limit (PQL)  
 S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-042  
**Lab ID:** K1612142-042A  
**Collection Date:** 09/28/16 5:19  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 16:01

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-043  
**Lab ID:** K1612142-043A  
**Collection Date:** 09/28/16 5:21  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 16:03

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-044  
**Lab ID:** K1612142-044A  
**Collection Date:** 09/28/16 5:21  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 16:05

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-045  
**Lab ID:** K1612142-045A  
**Collection Date:** 09/28/16 5:21  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0010	mg/L	12/14/16 16:07

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive  
East Syracuse, NY 13057 (315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-046

**Lab ID:** K1612142-046A  
**Collection Date:** 09/28/16 5:25  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0014	mg/L	12/14/16 16:09

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-047  
**Lab ID:** K1612142-047A  
**Collection Date:** 09/28/16 5:26  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 16:11

**Qualifiers:** \* Value may exceed the Acceptable Level  
 E Value exceeds the instrument calibration range  
 J Analyte detected below the PQL  
 P Prim./Conf. column %D or RPD exceeds limit

B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 ND Not Detected at the Practical Quantitation Limit (PQL)  
 S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-048  
**Lab ID:** K1612142-048A  
**Collection Date:** 09/28/16 5:26  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 16:12

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-049  
**Lab ID:** K1612142-049A  
**Collection Date:** 09/28/16 5:28  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 16:14

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-050  
**Lab ID:** K1612142-050A  
**Collection Date:** 09/28/16 5:28  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 16:20

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-051

**Lab ID:** K1612142-051A  
**Collection Date:** 09/28/16 5:32  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 16:22

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-052  
**Lab ID:** K1612142-052A  
**Collection Date:** 09/28/16 5:32  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 16:24

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-053  
**Lab ID:** K1612142-053A  
**Collection Date:** 09/28/16 5:33  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0046	mg/L	12/14/16 16:26

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** DES-054

**Lab ID:** K1612142-054A  
**Collection Date:** 09/28/16 5:33  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0026	mg/L	12/14/16 16:27

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** FES-01  
**Lab ID:** K1612142-055A  
**Collection Date:** 09/28/16 5:53  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.028 *	mg/L	12/14/16 16:29

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** FES-02  
**Lab ID:** K1612142-056A  
**Collection Date:** 09/28/16 5:54  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.018 *	mg/L	12/14/16 16:31

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** FES-03

**Lab ID:** K1612142-057A  
**Collection Date:** 09/28/16 5:56  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 16:33

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** FES-04  
**Lab ID:** K1612142-058A  
**Collection Date:** 09/28/16 5:57  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0022	mg/L	12/14/16 16:35

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** FES-05

**Lab ID:** K1612142-059A  
**Collection Date:** 09/28/16 5:57  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0093	mg/L	12/14/16 16:37

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** FES-06  
**Lab ID:** K1612142-060A  
**Collection Date:** 09/28/16 5:59  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.057 *	mg/L	12/14/16 16:43

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** FES-07  
**Lab ID:** K1612142-061A  
**Collection Date:** 09/28/16 6:01  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0040	mg/L	12/14/16 16:44

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** FES-08  
**Lab ID:** K1612142-062A  
**Collection Date:** 09/28/16 6:01  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0077	mg/L	12/14/16 16:50

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** FES-09  
**Lab ID:** K1612142-063A  
**Collection Date:** 09/28/16 6:02  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.018 *	mg/L	12/14/16 16:52

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** FES-10  
**Lab ID:** K1612142-064A  
**Collection Date:** 09/28/16 6:02  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0088	mg/L	12/14/16 16:54

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** FES-11  
**Lab ID:** K1612142-065A  
**Collection Date:** 09/28/16 6:04  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.013	mg/L	12/14/16 16:56

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** FES-12  
**Lab ID:** K1612142-066A  
**Collection Date:** 09/28/16 6:04  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0025	mg/L	12/14/16 16:58

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** CASS-01  
**Lab ID:** K1612142-067A  
**Collection Date:** 09/28/16 6:20  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 17:00

**Qualifiers:** \* Value may exceed the Acceptable Level  
E Value exceeds the instrument calibration range  
J Analyte detected below the PQL  
P Prim./Conf. column %D or RPD exceeds limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Practical Quantitation Limit (PQL)  
S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse , NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** CASS-02  
**Lab ID:** K1612142-068A  
**Collection Date:** 09/28/16 6:21  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0069	mg/L	12/14/16 17:05

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** CASS-03  
**Lab ID:** K1612142-069A  
**Collection Date:** 09/28/16 6:23  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 17:07

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** CASS-04  
**Lab ID:** K1612142-070A  
**Collection Date:** 09/28/16 6:23  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0023	mg/L	12/14/16 17:09

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits





**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** CASS-05  
**Lab ID:** K1612142-071A  
**Collection Date:** 09/28/16 6:23  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 17:11

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

**Analytical Results**

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** CASS-06

**Lab ID:** K1612142-072A  
**Collection Date:** 09/28/16 6:24  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 17:13

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** CASS-07  
**Lab ID:** K1612142-073A  
**Collection Date:** 09/28/16 6:24  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 17:15

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** CASS-08  
**Lab ID:** K1612142-074A  
**Collection Date:** 09/28/16 6:24  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0030	mg/L	12/14/16 17:17

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** CASS-09  
**Lab ID:** K1612142-075A  
**Collection Date:** 09/28/16 6:27  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0043	mg/L	12/14/16 17:18

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** CASS-10

**Lab ID:** K1612142-076A  
**Collection Date:** 09/28/16 6:28  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	12/14/16 17:20

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** 1620703-Dryden Central School District  
**Location:** Dryden/Freeville/Cassavant Elementary Schools  
**Matrix:** PW

**Client Sample ID:** CASS-11  
**Lab ID:** K1612142-077A  
**Collection Date:** 09/28/16 6:28  
**Date Received:** 10/05/16 13:15

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8</b>	<b>(EPA 200.2)</b>
Lead	0.0015	mg/L	12/14/16 17:22

- Qualifiers:**
- \* Value may exceed the Acceptable Level
  - E Value exceeds the instrument calibration range
  - J Analyte detected below the PQL
  - P Prim./Conf. column %D or RPD exceeds limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Practical Quantitation Limit (PQL)
  - S Spike Recovery outside accepted recovery limits

# Life Science Laboratories, Inc.

## Sample Receipt Checklist

LSL LIMS

**Project ID** 1620703 **Client ID:** DrydenCSD\_VanEtten  
**Shipment Number** 1 **SRC Completed By:** RSD2 **Date:** 12/15/2016 2:19:45 PM

<i>COC Date/Time</i>	<i>Received By</i>	<i>Carrier</i>	<i>ShippingID</i>
10/5/2016 1:15:00 PM	RSD2	Hand Delivered	
<i>Shipping container/cooler in good condition?</i>	Yes	<i>Sample containers intact?</i>	Yes
<i>Custody seal intact on shipping container/cooler?</i>	N/A	<i>Sufficient sample volume for indicated test?</i>	Yes
<i>Custody seals intact on sample bottles?</i>	N/A	<i>All samples received within holding time?</i>	Yes
<i>Chain of Custody present?</i>	Yes	<i>Container/Temp Blank temperature in compliance?</i>	Yes
<i>COC signed when relinquished and received?</i>	Yes	<i>Water - VOA vials have zero headspace?</i>	N/A
<i>COC agrees with sample labels?</i>	Yes	<i>Water - pH acceptable upon receipt?</i>	N/A
<i>Samples in proper containers/bottles?</i>	Yes	<i>Water - HNO3 added to unpreserved metal sample(s) to a pH of &lt;2?</i>	Yes

**Comments:**

**Corrective Action:**

**Reviewed By:** OK, 1/4/17



**LSL**  
 Life Science Laboratories, Inc.  
 5854 Butternut Drive  
 East Syracuse, NY 13057

**Chain of Custody Record**

1612142 1620703

Client: DRYDEN CENTRAL SCHOOL DISTRICT Phone # 607 814 5361

Contact Person: ROB MEDEIROS  
 Cell: 607 250-7799

LSL Project # DrydenCSD\_VanEitfen  
2924

Address: PO Box 88 Fax #

Client's Site I.D.: DRYDEN ELEMENTARY SCHOOL  
36 UNION ST, DRYDEN NY 13053

118 FAIRVIEW RD.


Client's Project I.D.: SECONDARY FIXTURES

Authorization: 

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type grab comp.	Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
							#	size/type			
DES 001	101 BUBBLER	9/28/16	4:31A	X	PW	None	1	250 mL	Lead		
DES 002	102 BUBBLER	9/28/16	4:32A	X			1				
DES 003	103 BUBBLER	9/28/16	4:32A	X			1				
DES 004	104 BUBBLER	9/28/16	4:33A	X			1				
DES 005	105 BUBBLER	9/28/16	4:34A	X			1	1 preserved			
DES 006	106 BUBBLER	9/28/16	4:35A	X			1	Samples Upon Receipt at Lab			
DES 007	107 BUBBLER	9/28/16	4:37A	X			1				
DES 008	108 BUBBLER	9/28/16	4:37A	X			1				
DES 009	109 TONNET RM.	9/28/16	4:38A	X			1				
DES 010	PRIMARY FAC SINK	9/28/16	4:40A	X			1				
DES 011	110/12 TONNET RM.	9/28/16	4:41A	X			1				
DES 012	112/14 TONNET RM.	9/28/16	4:44A	X			1				
DES 013	113/05 TONNET RM.	9/28/16	4:46A	X			1				
DES 014	114/16 TONNET RM.	9/28/16	4:47A	X			1				

**Notes and Hazard Identifications:**

**Custody Transfers**

Sampled and Relinquished By: ROBERT MEDEIROS Signature: 

Print Name: ROBERT MEDEIROS

Received By: Graig Griffin Date: 9/28/16 11:41A

Relinquished By: Robert Medeiros Date: 9/28/16 11:41A

Received By: Robert Medeiros Date: 10/5/16 1:10 PM

Relinquished By: Robert Medeiros Date: 10/5/16 13:15

Received for Lab By: R. Griffin

Shipment Method: 18°C

Samples Received Intact: Y N

Life Science Laboratories, Inc.  
 5854 Butternut Drive  
 East Syracuse, NY 13057



Chain of Custody Record

1620703

Dryden CSD\_VanEitlen

Phone # (315) 445-1900

Telefax # (315) 445-1104

Contact Person: **ROB MEDEIROS**  
 LSL Project # **2924**  
 Client's Site I.D.: **DRYDEN ELEMENTARY SCHOOL**  
**36 UNION ST.**  
**DRYDEN NY 13053**

Client: **DRYDEN CENTRAL SCHOOL DISTRICT** Phone # **607 844 5361**

Address: **P.O. Box 88** Fax #

**118 FREVILLE RD.**

**DRYDEN, NY 13053**

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type grab comp.	Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
							#	size/type			
DES015	115/17 TOILET R.M.	9/28/16	4:48A	X	PW	None	1	250 mL	Lead		
DES016	116 TOILET ROOM	9/28/16	4:49A	X			1				
DES017	117/19 TOILET ROOM	9/28/16	4:50A	X			1				
DES018	118 COPY TOILET	9/28/16	4:51A	X			1				
DES019	119/121 TOILET R.M.	9/28/16	4:52A	X			1				
DES020	121 TOILET R.M.	9/28/16	4:53A	X			1				
DES021	123 TOILET R.M.	9/28/16	4:54A	X			1				
DES022	202 MAIN CORR. FAC. TOILET	9/28/16	4:56A	X			1				
DES023	203 KITCHEN TOILET RM	9/28/16	4:57A	X			1				
DES024	204 GARS LKR. N1 SINK	9/28/16	4:57A	X			1				
DES025	205 GARS LKR. N2 SINK	9/28/16	4:59A	X			1				
DES026	206 GARS LKR. N3 SINK	9/28/16	4:59A	X			1				
DES027	207 GARS LKR. N4 SINK	9/28/16	4:59A	X			1				
DES028	208 GARS P.E. OFFICE SINK	9/28/16	5:02A	X			1				

Client's Project I.D.: **SECONDARY FIXTURES**

Authorization:

Notes and Hazard Identifications:

Custody Transfers		Date	Time
Sampled and Relinquished By:	Print Name: <b>ROBERT MEDEIROS</b>	Signature:	9/28/16 11:41A
Relinquished By:	<b>Craig Giffin</b>	Received By:	9/28/16 11:41A
Relinquished By:	<b>D. Gwynne</b>	Received By:	10/5/16 1:19P
Relinquished By:	<b>R. Giffin</b>	Received for Lab By:	10/5/16 13:15

Shipments Received Intact: **Y N**



Life Science Laboratories, Inc.  
5854 Butternut Drive  
East Syracuse, NY 13057,  
Phone # (315) 445-1900

### Chain of Custody Record

1620703

DrydenCSD\_VanEffen

Telefax # (315) 445-1104

LSL Project #:

Client: DRYDEN CENTRAL SCHOOL DISTRICT Phone # 607 844 5361

Contact Person:

ROBERT MEDEIROS  
CELL: 607-280-7997  
RMEDEIROS@DRYDEN.K12.NY.US

Address: PO Box 88

Client's Site I.D.: DRYDEN ELEMENTARY SCHOOL  
36 UNION ST.

18 FLEEVILLE RD.

Client's Project I.D.: SECONDARY FEATURES

DRYDEN NY 13053

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type grab comp.	Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
							#	size/type			
DES029	BOYS LKR N1 SINK	9/28/16	5:05A	X	PW	None	1	250 mL	Lead		
DES030	BOYS LKR N3 SINK	9/28/16	5:05A	X			1				
DES031	BOYS LKR NY SINK	9/28/16	5:05A	X			1				
DES032	BOYS P.E. OFFICE SINK	9/28/16	5:05A	X			1				
DES033	MAIN COOR. WEST TOILET	9/28/16	5:10A	X			1				
DES034	MAIN COOR. EAST TOILET	9/28/16	5:10A	X		Samples preserved Upon Receipt at Lab	1				
DES035	CUST. TOILET RM.	9/28/16	5:12A	X			1				
DES036	OFFICE B1 TOILET RM.	9/28/16	5:14A	X			1				
DES037	WOMEN 154E TOILET RM.	9/28/16	5:16A	X			1				
DES038	WOMEN 154W TOILET RM.	9/28/16	5:16A	X			1				
DES039	MEN'S 155 TOILET RM.	9/28/16	5:18A	X			1				
DES040	GIRLS 160E1 TOILET RM.	9/28/16	5:19A	X			1				
DES041	GIRLS 160E2 TOILET RM.	9/28/16	5:19A	X			1				
DES042	GIRLS 160E3 TOILET RM.	9/28/16	5:19A	X			1				

Notes and Hazard identifications:

**Custody Transfers**

Sampled and Relinquished By: ROBERT MEDEIROS Signature:

Print Name: ROBERT MEDEIROS Signature:

Received By: Craig Griffin Received for Lab By: R.D. [Signature]

Relinquished By: Robert Medeiros Received By: Robert Medeiros

Relinquished By: Robert Medeiros Received for Lab By: R.D. [Signature]

Date: 9/28/16 Time: 11:41A

Date: 9/28/16 Time: 11:41A

Date: 10/5/16 Time: 1:10 PM

Date: 10/5/16 Time: 1315



Life Science Laboratories, Inc.

5854 Butternut Drive  
East Syracuse, NY 13057

Phone # (315) 445-1900

Telefax # (315) 445-1104

# Chain of Custody Record

1620703

Dryden CSD\_VanEtten

Client: DRYDEN CENTRAL SCHOOL DISTRICT Phone # 607 844 5361

LSL Project #

2924

Address: P.O. Box 88  
118 FREDERICK RD.  
DRYDEN, NY 13053

Contact Person: ROB

Free Cl (mg/L)

Client's Site I.D.: DRYDEN ELEMENTARY SCHOOL  
36 UNION ST.  
DRYDEN, NY 13053

Authorization:

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type		Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
				grab	comp.			#	size/type			
DES 043	BOYS 164E1 TOILET RM	9/28/16	5:21A	X		PW	None	1	250 mL	Lead		
DES 044	BOYS 164E2 TOILET RM	9/28/16	5:21A	X				1				
DES 045	BOYS 164E3 TOILET RM	9/28/16	5:21A	X				1				
DES 046	2 <sup>ND</sup> FLOOR TOILET RM	9/28/16	5:25A	X				1				
DES 047	GIRLS 256W1 TOILET RM	9/28/16	5:26A	X				1				
DES 048	GIRLS 256W2 TOILET RM	9/28/16	5:26A	X				1				
DES 049	BOYS 254W1 TOILET RM	9/28/16	5:28A	X				1				
DES 050	BOYS 254W2 TOILET RM	9/28/16	5:28A	X				1				
DES 051	GIRLS 356W1 TOILET RM	9/28/16	5:32A	X				1				
DES 052	GIRLS 356W2 TOILET RM	9/28/16	5:32A	X				1				
DES 053	BOYS 357W1 TOILET RM	9/28/16	5:35A	X				1				
DES 054	BOYS 357W2 TOILET RM	9/28/16	5:35A	X				1				

Notes and Hazard identifications:

Signature:

Received By:

Received By:

Received for Lab By:

Date: 9/28/16 11:41A

Date: 9/28/16 11:41A

Date: 10/5/16 1:10 PM

Date: 10/5/16 13:15

Print Name: ROBERT MEDEIROS

Signature:

Received By:

Received By:

Received for Lab By:

Shipment Method: Y N

Samples Received Intact: Y N



Life Science Laboratories, Inc.  
 5854 Butternut Drive  
 East Syracuse, NY 13057,  
 Phone # (315) 445-1900

### Chain of Custody Record

1620703

DrydenCSD\_VanEtten

Telefax # (315) 445-1104

Phone # 607 8445361

Fax #

Client: DAYDEN CENTRAL SCHOOL DISTRICT

Address: P.O. BOX 88

118 FREEVILLE RD.

DAYDEN NY 13053

LSL Project

Contact Person:

ROB

MEDEIROS

CELL: 607 880 7799

RMEDEIROS

DRYDEN, N.Y. NY, US

Client's Site I.D.: FREEVILLE ELEMENTARY SCHOOL

43 MAIN ST.

FREEVILLE NY 13088

Authorization:

*[Signature]*

Client's Project I.D.:

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type grab comp.	Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
							#	size/type			
FES01 055	PUMP. OFF. TOILET RM.	9/28/16	5:53A	X	PW	None	1	250 mL	Lead		
FES02 056	MAIN OFF. TOILET RM.	9/28/16	5:54A	X			1				
FES03 057	BOYS TOILET R.M.	9/28/16	5:56A	X			1				
FES04 058	GIRLS TOILET RM.	9/28/16	5:57A	X			1				
FES05 059	FAC. TOILET R.M.	9/28/16	5:57A	X			1				
FES06 060	NURSES SINK	9/28/16	5:57A	X		1 preserved samples	1				
FES07 061	KITCH. HAND WASH	9/28/16	6:01A	X		1 Upon Receipt at Lab	1				
FES08 062	RMS ART/MEDIA SINK	9/28/16	6:01A	X			1				
FES09 063	K 6 SINK	9/28/16	6:02A	X			1				
FES10 064	K 6 TOILET R.M.	9/28/16	6:02A	X			1				
FES11 065	K 7 SINK	9/28/16	6:04	X			1				
FES12 066	K 7 TOILET R.M.	9/28/16	6:04A	X			1				
				X			1				
				X			1				

Notes and Hazard identifications:

#### Custody Transfers

Sampled and Relinquished By:

Print Name: ROBERT MEDEIROS

Signature: *[Signature]*

Craig Griffin

Received By: *[Signature]*

Relinquished By: *[Signature]*

Received By: *[Signature]*

Relinquished By:

Received for Lab By: *[Signature]*

Date	Time
9/28/16	11:41A
9/28/16	11:41A
10/5/16	1:18P
10/5/16	13:15

Shipment Method:

Samples Received Intact: Y N

Client: DAYDEN CENTRAL SCHOOL DISTRICT

Address: P.O. Box 58

Phone # 607 844 5361

Fax #

118 FREUNCE RD.

DAYDEN NY 13053

Authorization: 

Chain of Custody Record

1620703

DrydenCSD\_VanEffen

2924

Contact Person: ROB

MEDEIROS

CELL: 607 280 7779

RMEDDIR1@

DRYDEN.K12.NY.US

LSL Project

Client's Site I.D.:

CASSAVANT ELEMENTARY SCHOOL  
32 SCHOOL ST.  
MCCLEAN NY 13102

Client's Project I.D.:

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type grab comp.	Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
							#	size/type			
CASS01	CASS KITCHEN HAND WASH	9/25/16	6:20A	X	PW	None	1	250 mL	Lead		
CASS02	ART/MUSIC - CASS	9/25/16	6:21A	X			1				
CASS03	CASS BOYS W/ TOILET RM	9/25/16	6:23A	X			1				
CASS04	CASS BOYS W/2 TOILET RM	9/25/16	6:23A	X			1				
CASS05	CASS BOYS W/3 TOILET RM	9/25/16	6:23A	X		1 reserved	1				
CASS06	CASS GIRLS W/ TOILET RM	9/25/16	6:24A	X		1 reserved	1				
CASS07	CASS GIRLS W/2 TOILET RM	9/25/16	6:24A	X		1 reserved	1				
CASS08	CASS GIRLS W/3 TOILET RM	9/25/16	6:24A	X		1 reserved	1				
CASS09	CASS 2 <sup>ND</sup> FAC. TOILET RM	9/25/16	6:27A	X			1				
CASS10	CASS 2 <sup>ND</sup> PAR BOYS TOILET	9/25/16	6:28A	X			1				
CASS11	CASS 2 <sup>ND</sup> GIRLS TOILET	9/25/16	6:28A	X			1				
				X			1				
				X			1				
				X			1				

Notes and Hazard Identifications:

Custody Transfers

Sampled and Relinquished By:

Print Name: ROBERT MEDEIROS

Signature: 

Relinquished By: Craig Griffin

Signature: 

Received By:

Signature: 

Relinquished By: 

Received By:

Signature: 

Relinquished By:

Received for Lab By:

Signature: 

Date	Time
9/25/16	11:41A
9/25/16	11:41A
10/5/16	1:10 PM
10/5/16	13:15

Shipment Method:

Samples Received Intact: Y N